

Modular system composed of wall hung washbasin or storage base units.
The I F I U M I handleless wall hung base units feature 45° bevelled front and finished panels.
The fronts (pull-out only) are opened using the grip on the bottom angled edge of the front.
Thickness of the top is hidden by the triple joint at 45° of the door, side panel and encounter top bevelled edges.
Cabinets with handle or with TIP-ON push-opening mechanism are not possible.

Countertop (1)

Tops have 45° edges on 3 sides, to match upper edges of front and end panels in finish, in order to make the top thickness not visible.
THICKNESS: 20 mm.
DEPTH: 596 mm.
COMPATIBLE WASHBASINS: ONLY PIAVE washbasin.
FINISHES: polyester - solid wood.
POLYESTER: full colour range.
SOLID WOOD: feasible ONLY in American elm SW, smoked dyed oak SW, natural oak SW, LIGHT Canaletto walnut.

Unit (2)

Made of 19 mm thick wood particle board panels, suitable for damp spaces indoors and with low formaldehyde emission (class E1, CARB P2 / TSCA Title VI certified), coated with thick and high performance melamine resin. Front and back ABS edge banding in the same colour.
The vanity units are fitted with integrated aluminium reinforcement crossbars.
SIDE PANEL HEIGHT: 300 mm.
SIDE PANEL DEPTH: 575 mm.
DEPTH INCLUDING FRONT: 598 mm.
MODULE WIDTH: 600 - 900 - 1200 mm.
FINISH: Melamine-coated.
COLOURS: grey-graphite oak - elm - thermo-treated larch wood.

Fronts (3)

They are in finish, 20 mm. thick, with 45° upper, side and lower bevelled edges.
The opening of the doors (only pull-out version) is allowed thanks to the lower grip of the front.
FINISHES: polyester - solid wood.
POLYESTER: full colour range.
SOLID WOOD: feasible ONLY in American elm SW, smoked dyed oak SW, natural oak SW, LIGHT Canaletto walnut.

Drawers (4)



LEGRABOX series with sides and back in varnished matt black metal. Bottom in black melamine.
Front of internal drawers in same finish as carcass.


End panel (5)

In finish, 20 mm thick.
45° bevel on front and upper edge.
FINISHES: polyester - solid wood.
POLYESTER: full colour range.
SOLID WOOD: feasible ONLY in American elm SW, smoked dyed oak SW, natural oak SW, LIGHT Canaletto walnut.

Support structure (6)

Made of aluminium with wall fastening.





FRONT FINISH

COLOURS / WOOD TYPES

POLYESTER



SOLID WOOD




WASHBASIN TYPES




COUNTERTOP
FINISH

COLOURS / WOOD TYPES

POLYESTER




SOLID WOOD




WASHBASINS




Base unit for washbasin with drawer - SINGLE USE




Base unit for washbasin with drawer - END USE




Base unit for washbasin with drawer - MIDDLE USE




END-USE base unit with drawer.




MIDDLE-USE base unit with drawer.




END-USE base unit with drawer + internal drawer.




MIDDLE-USE base unit with drawer + internal drawer.




Base units for washbasin with drawer - SINGLE / END / MIDDLE USE



Base units with drawer - END / MIDDLE USE



Base units with drawer + internal drawer - END / MIDDLE USE



"a" = Water drain positioning height


A = Water drain

B = cold water

C = warm water

BASE UNITS H 320 mm - TOP-MOUNTED washbasin

1



* recommended distance for medium-height users (170 ÷ 180 cm).

1 - Cylindrical syphon